

deoxyguaninecpG.txt

? e au=sato, y?

Ref	Items	Index-term
E1	5	AU=SATO, Y-I
E2	1	AU=SATO, Y,
E3	0	AU=SATO, Y?
E4	1	AU=SATO, YACHIO
E5	1	AU=SATO, YACHIYO
E6	12	AU=SATO, YAE
E7	2	AU=SATO, YAEKO
E8	1	AU=SATO, YAGUO
E9	4	AU=SATO, YAKUO
E10	2	AU=SATO, YAKUSO
E11	1	AU=SATO, YAMATO
E12	1	AU=SATO, YAMOTSU
E13	2	AU=SATO, YANOSUKE
E14	1	AU=SATO, YASAKO
E15	2	AU=SATO, YASHUFUMI
E16	1	AU=SATO, YASHUHIRO
E17	2	AU=SATO, YASHUSHI
E18	1	AU=SATO, YASOHACHI
E19	3	AU=SATO, YASOHIKU
E20	2	AU=SATO, YASU
E21	17	AU=SATO, YASUAKI
E22	10	AU=SATO, YASUBUMI
E23	53	AU=SATO, YASUE
E24	1	AU=SATO, YASUFIMI
E25	247	AU=SATO, YASUFUMI

Enter PAGE for more

? e au=sato, yukio

Ref	Items	Index-term
E1	105	AU=SATO, YUKINORI
E2	2	AU=SATO, YUKINORI (TOHOKU UNIV., SENDAI (JAPAN).
E3	693	AU=SATO, YUKIO
E4	7	AU=SATO, YUKISHIGE
E5	36	AU=SATO, YUKITA
E6	2	AU=SATO, YUKITAKA
E7	1	AU=SATO, YUKITERU
E8	18	AU=SATO, YUKITO
E9	3	AU=SATO, YUKITOMI
E10	6	AU=SATO, YUKITOSHI
E11	59	AU=SATO, YUKIYA
E12	32	AU=SATO, YUKIYASU
E13	4	AU=SATO, YUKIYOSHI
E14	1	AU=SATO, YUKIYU
E15	586	AU=SATO, YUKO
E16	2	AU=SATO, YUKO T
E17	15	AU=SATO, YUKO T.
E18	2	AU=SATO, YUKOH
E19	4	AU=SATO, YUKOU
E20	1	AU=SATO, YUKUO
E21	2	AU=SATO, YUKUTO
E22	2	AU=SATO, YUKYA
E23	102	AU=SATO, YUMI
E24	2	AU=SATO, YUMI F.
E25	26	AU=SATO, YUMIE

Enter PAGE for more

? s e3

S1 693 AU='SATO, YUKIO'

? s s1 and CpG

693 S1  
127009 CPG  
S2 14 S S1 AND CPG

? t s2/3,k/1-14

>>>W: KWIC option is not available in file(s): 399

2/3,K/1 (Item 1 from file: 98) Links

General Sci Abs

(c) 2009 The HW Wilson Co. All rights reserved.

03278771 H.W. Wilson Record Number: BGS196028771

Immunostimulatory DNA sequences necessary for effective intradermal gene immunization.

Sato, Yukio

Roman, Mark; Tighe, Helen

Science ( Science ) v. 273 (July 19 '96) p. 352-4

Document Type: Feature Article

Special Features: bibl il ISSN: 0036-8075

Language: English

Country Of Publication: United States

Sato, Yukio

Abstract: ...the immunogenicity of plasmid DNA (pDNA) requires short immunostimulatory DNA sequences (ISS) that contain a CpG dinucleotide in a particular base context. Human monocytes transfected with pDNA or double-stranded oligonucleotides...

2/3,K/2 (Item 1 from file: 370) Links

Science

(c) 1999 AAAS. All rights reserved.

00500536 (USE 9 FOR FULLTEXT)

Immunostimulatory DNA Sequences Necessary for Effective Intradermal Gene Immunization

Sato, Yukio; Roman, Mark; Tighe, Helen; Lee, Delphine; Corr, Maripat ; Nguyen, Minh-Duc; Silverman, Gregg J.; Lotz, Martin; Carson, Dennis A.; Raz, Eyal  
Department of Medicine and The Sam and Rose Stein Institute for Research on Aging,  
University of California, San Diego, 9500 Gilman Drive, La Jolla, CA 92093-0663,  
USA.

Science Vol. 273 5273 pp. 352

Publication Date: 7-19-1996 ( 960719 ) Publication Year: 1996

Document Type: Journal ISSN: 0036-8075

Language: English

Section Heading: Reports

Word Count: 2127 (THIS IS THE FULLTEXT)

Sato, Yukio; Roman, Mark; Tighe, Helen; Lee, Delphine; Corr, Maripat ; Nguyen, Minh-Duc; Silverman, Gregg J...

Abstract:

...the immunogenicity of plasmid DNA (pDNA) requires short immunostimulatory DNA sequences (ISS) that contain a CpG dinucleotide in a particular base context. Human monocytes transfected with pDNA or double-stranded oligonucleotides...

Text:

...human peripheral lymphocytes and to enhance natural killer cell activity. These ISS include the following CpG-containing hexamers: 5 (prime) -GACGTC-3 (prime) , 5 (prime) -AG-CGCT-3 (prime) , and 5...

...in vitro (B9) . Recently, Krieg et al. studied the effects of single-stranded oligonucleotides with CpG motifs on murine B lymphocyte activation (B10) . They found that cytosine methylation or the elimination of the CpG from the oligonucleotide abolished the lymphocyte stimulatory effect. The activation capability was attributed to a series of CpG-containing motifs that generally follow the formula 5 (prime) -Pur Pur CG Pyr Pyr-3 (prime) . CpG-enriched oligonucleotides induced not only B cell proliferation, but also the secretion of IL-6...

2/3,K/3 (Item 1 from file: 399) Links  
Fulltext available through: STIC Full Text Retrieval Options  
CA SEARCH(R)  
(c) 2009 American Chemical Society. All rights reserved.

149531193 CA: 149(24)531193g JOURNAL  
Breakthrough of immune self-tolerance to calreticulin induced by CpG-oligodeoxynucleotides as adjuvant  
Author: Abe, Kazumichi; Ohira, Hiromasa; Kobayashi, Hiroko; Saito, Hironobu; Takahashi, Atsushi; Rai, Tsuyoshi; Kanno, Yukiko; Monoe, Kyoko; Watanabe, Hiroshi; Irisawa, Atsushi; Sato, Yukio  
Location: Department of Internal Medicine II, Fukushima Medical University School of Medicine, Fukushima, Japan, 960-1295  
Journal: Fukushima J. Med. Sci.  
Date: 2007  
Volume: 53 Number: 2 Pages: 95-108  
CODEN: FJMSAU  
ISSN: 0016-2590  
Language: English  
Publisher: Fukushima Society of Medical Science

2/3,K/4 (Item 2 from file: 399) Links  
Fulltext available through: STIC Full Text Retrieval Options  
CA SEARCH(R)  
(c) 2009 American Chemical Society. All rights reserved.

145122331 CA: 145(7)122331s JOURNAL  
Effectiveness of intragastric immunization with protein and oligodeoxynucleotides containing a CpG motif for inducing a gastrointestinal mucosal immune response in mice  
Author: Hikichi, Takuto; Kobayashi, Hiroko; Oyama, Hitoshi; Yamamoto, Go; Watanabe, Hiroshi; Irisawa, Atsushi; Obara, Katsutoshi; Sato, Yukio  
Location: Department of Internal Medicine II, Fukushima Medical University School of Medicine, Fukushima, Japan, 960-1295  
Journal: Fukushima J. Med. Sci.  
Date: 2005  
Volume: 51 Number: 1 Pages: 19-31  
CODEN: FJMSAU  
ISSN: 0016-2590  
Language: English  
Publisher: Fukushima Society of Medical Science

2/3,K/5 (Item 3 from file: 399) Links  
Fulltext available through: STIC Full Text Retrieval Options  
CA SEARCH(R)  
(c) 2009 American Chemical Society. All rights reserved.

deoxyguaninecpg.txt  
145101946 CA: 145(6)101946f JOURNAL  
Role of CpG ODN in concanavalin A-induced hepatitis in mice  
Author: Abe, Kazumichi; Ohira, Hiromasa; Kobayashi, Hiroko; Rai, Tsuyoshi; Saito, Hironobu; Takahashi, Atsushi; Sato, Yukio  
Location: Department of Internal Medicine II, Fukushima Medical University School of Medicine, Fukushima, Japan, 960-1295  
Journal: Fukushima J. Med. Sci.  
Date: 2005  
Volume: 51 Number: 1 Pages: 41-49  
CODEN: FJMSAU  
ISSN: 0016-2590  
Language: English  
Publisher: Fukushima Society of Medical Science

2/3,K/6 (Item 4 from file: 399) Links  
Fulltext available through: STIC Full Text Retrieval Options  
CA SEARCH(R)  
(c) 2009 American Chemical Society. All rights reserved.

144388566 CA: 144(21)388566v JOURNAL  
Synthetic oligodeoxynucleotides suppresses murine collagen induced arthritis via Toll-like receptor 9  
Author: Kobayashi, Hiroko; Sato, Yukio  
Location: The Second Department of Internal Medicine, School of Medicine, Fukushima Medical University, Fukushima, Japan, 960-1295  
Journal: Rinsho Men'eki  
Date: 2005  
Volume: 44 Number: 3 Pages: 276-280  
CODEN: RNMKAU  
ISSN: 0386-9695  
Language: Japanese  
Publisher: Kagaku Hyoronsha

2/3,K/7 (Item 5 from file: 399) Links  
CA SEARCH(R)  
(c) 2009 American Chemical Society. All rights reserved.

141388675 CA: 141(24)388675t PATENT  
Guanine methylated oligo-DNA containing CpG motifs alleviates collagen-induced arthritis in mice, use as immunosuppressant  
Inventor (Author): Sato, Yukio; Kobayashi, Hiroko  
Location: Japan,  
Assignee: Taisho Pharmaceutical Co. Ltd.  
Patent: PCT International ; WO 200494448 A1 Date: 20041104  
Application: WO 2004JP5935 (20040423) \*JP 2003118999 (20030423)  
Pages: 24 pp.  
CODEN: PIXXD2  
Language: Japanese  
Patent Classifications:  
Class: C07H-021/02A; C07H-021/04B; A61K-031/7115B; A61P-037/06B; A61P-019/02B; A61P-043/00B; A61P-029/00B; A61P-003/10B; A61P-025/00B; A61P-007/06B; A61P-021/04B; A61P-017/00B; A61P-001/04B; A61P-011/06B; A61P-037/08B; A61P-031/04B; A61P-009/10B; C12N-015/11B  
Designated Countries: AE; AG; AL; AM; AT; AU; AZ; BA; BB; BG; BR; BW; BY; BZ; CA; CH; CN; CO; CR; CU; CZ; DE; DK; DM; DZ; EC; EE; EG; ES; FI; GB; GD; GE; GH; GM; HR; HU; ID; IL; IN; IS; JP; KE; KG; KP; KR; KZ; LC; LK; LR; LS; LT; LU; LV; MA; MD; MG; MK; MN; MW; MX; MZ; NA; NI; NO; NZ; OM; PG; PH; PL; PT; RO; RU; SC; SD; SE; SG; SK; SL; SY; TJ; TM; TN; TR; TT; TZ; UA; UG; US; UZ; VC; VN; YU; ZA; ZM; ZW  
Designated Regional: BW; GH; GM; KE; LS; MW; MZ; SD; SL; SZ; TZ; UG; ZM; ZW; AM; AZ; BY; KG; KZ; MD; RU; TJ; TM; AT; BE; BG; CH; CY; CZ; DE; DK; EE; ES; FI; FR; GB; GR; HU; IE; IT; LU; MC; NL; PL; PT; RO; SE; SI; SK; TR; BF; BJ; CF; CG; CI; CM; GA; GN;

GQ; GW; ML; MR; NE; SN; TD; TG

2/3,K/8 (Item 6 from file: 399) Links

Fulltext available through: STIC Full Text Retrieval Options

CA SEARCH(R)

(c) 2009 American Chemical Society. All rights reserved.

139020716

CA: 139(2)20716e

JOURNAL

Future prospect of DNA vaccine

Author: Sato, Yukio; Kobayashi, Hiroko

Location: School of Medicine, Second Dep. of Internal Medicine, Fukushima

Prefectural Medical University, Japan,

Journal: Arerugi, Men'eki

Date: 2003

Volume: 10 Number: 3 Pages: 294-301

CODEN: ARMEFS

ISSN: 1344-6932

Language: Japanese

Publisher: Iyaku Janarusha

2/3,K/9 (Item 7 from file: 399) Links

Fulltext available through: STIC Full Text Retrieval Options

CA SEARCH(R)

(c) 2009 American Chemical Society. All rights reserved.

138203307

CA: 138(14)203307w

JOURNAL

Effect of hsp65 DNA vaccination carrying immunostimulatory DNA sequences (CpG motifs) against Mycobacterium leprae multiplication in mice

Author: Nomaguchi, Hiroko; Mukai, Tetsu; Takeshita, Fumihiko; Matsuoka, Masanori;

Maeda, Yumi; Aye, Tin Maung; Jahan, Nilufar; Yogi, Yasuko; Endo, Masumi; Sato,

Yukio; Makino, Masahiko

Location: Leprosy Research Center, National Institute of Infectious Diseases, Higashimurayama, Tokyo, Japan,

Journal: Int. J. Lepr. Other Mycobact. Dis.

Date: 2002

Volume: 70 Number: 3 Pages: 182-190

CODEN: IJLEAG

ISSN: 0148-916X

Language: English

Publisher: Allen Press

2/3,K/10 (Item 8 from file: 399) Links

Fulltext available through: STIC Full Text Retrieval Options

CA SEARCH(R)

(c) 2009 American Chemical Society. All rights reserved.

138050341

CA: 138(5)50341a

JOURNAL

Discovery of immunostimulatory CpG-DNA and its application to tuberculosis vaccine development

Author: Yamamoto, Saburo; Yamamoto, Toshiko; Nojima, Yasuhiro; Umemori, Kiyoko;

Phalen, Susan; McMurray, David N.; Kuramoto, Etsuro; Iho, Sumiko; Takauji, Rumiko;

Sato, Yukio; Yamada, Takeshi; Ohara, Naoya; Matsumoto, Sohkiichi; Goto, Yoshitaka;

Matsuo, Kazuhiro; Tokunaga, Tohru

Location: National Institute of Infectious Diseases, Musashimurayama, Tokyo, Japan, 208-0011

Journal: Jpn. J. Infect. Dis.

Date: 2002

Volume: 55 Number: 2 Pages: 37-44

CODEN: JJIDFE

ISSN: 1344-6304

deoxyguaninecpg.txt

Language: English

Publisher: National Institute of Infectious Diseases

2/3,K/11 (Item 9 from file: 399) Links

Fulltext available through: STIC Full Text Retrieval Options

CA SEARCH(R)

(c) 2009 American Chemical Society. All rights reserved.

136133063 CA: 136(9)133063w JOURNAL

Immunostimulatory DNA sequence

Author: Sato, Yukio; Kobayashi, Hiroko

Location: Department of Internal Medicine II, Fukushima Medical University School of Medicine, Fukushima, Japan, 960-1295

Journal: Kokyu

Date: 2001

Volume: 20 Number: 5 Pages: 464-469

CODEN: KOKUDH

ISSN: 0286-9314

Language: Japanese

Publisher: Respiration Research Foundation

2/3,K/12 (Item 10 from file: 399) Links

Fulltext available through: STIC Full Text Retrieval Options

CA SEARCH(R)

(c) 2009 American Chemical Society. All rights reserved.

134279449 CA: 134(20)279449g JOURNAL

Unmethylated oligo-DNA containing CpG motifs aggravates collagen-induced arthritis in mice

Author: Miyata, Masayuki; Kobayashi, Hiroko; Sasajima, Tomomi; Sato, Yukio; Kasukawa, Reiji

Location: Fukushima Medical University School of Medicine, Fukushima City, Japan, 960-1295

Journal: Arthritis Rheum.

Date: 2000

Volume: 43 Number: 11 Pages: 2578-2582

CODEN: ARHEAW

ISSN: 0004-3591

Language: English

Publisher: Lippincott Williams & Wilkins

2/3,K/13 (Item 11 from file: 399) Links

Fulltext available through: STIC Full Text Retrieval Options

CA SEARCH(R)

(c) 2009 American Chemical Society. All rights reserved.

130324256 CA: 130(24)324256x JOURNAL

CpG motif-containing DNA fragments from serums of patients with systemic lupus erythematosus proliferate mononuclear cells in vitro

Author: Sato, Yoshihiro; Miyata, Masayuki; Sato, Yukio; Nishimaki, Tomoe; Kochi, Hideo; Kasukawa, Reiji

Location: Fukushima Medical University School of Medicine, Fukushima, Japan,

Journal: J. Rheumatol.

Date: 1999

Volume: 26 Number: 2 Pages: 294-301

CODEN: JRHUA9

ISSN: 0315-162X

Language: English

Publisher: Journal of Rheumatology Publishing Co. Ltd.

2/3,K/14 (Item 1 from file: 99) Links  
 Fulltext available through: STIC Full Text Retrieval Options  
 Wilson Appl. Sci & Tech Abs  
 (c) 2009 The HW Wilson Co. All rights reserved.  
 1355330 H.W. Wilson Record Number: BAST96049849  
 Immunostimulatory DNA sequences necessary for effective intradermal gene  
 immunization

Sato, Yukio ; Roman, Mark; Tighe, Helen  
 Science v. 273 (July 19 '96) p. 352-4  
 Document Type: Feature Article ISSN: 0036-8075  
 Sato, Yukio

Abstract: ...the immunogenicity of plasmid DNA (pDNA) requires short  
 immunostimulatory DNA sequences (ISS) that contain a CpG dinucleotide in a  
 particular base context. Human monocytes transfected with pDNA or double-stranded  
 oligonucleotides...

Descriptors:

? e au=kobayashi, h?

Ref	Items	Index-term
E1	4	AU=KOBAYASHI, H.P.
E2	45	AU=KOBAYASHI, H*
E3	0	AU=KOBAYASHI, H?
E4	15	AU=KOBAYASHI, HA
E5	7	AU=KOBAYASHI, HACHIRO
E6	1	AU=KOBAYASHI, HACHISABURO
E7	1	AU=KOBAYASHI, HACHISHIRO
E8	1	AU=KOBAYASHI, HACHISIRO
E9	226	AU=KOBAYASHI, HAJIME
E10	1	AU=KOBAYASHI, HAJIMU
E11	2	AU=KOBAYASHI, HAKARU
E12	1	AU=KOBAYASHI, HAKUO
E13	43	AU=KOBAYASHI, HANAKO
E14	1	AU=KOBAYASHI, HANUO
E15	1	AU=KOBAYASHI, HARO
E16	1	AU=KOBAYASHI, HAROU
E17	4	AU=KOBAYASHI, HARUAKI
E18	5	AU=KOBAYASHI, HARUFUMI
E19	13	AU=KOBAYASHI, HARUHIKO
E20	11	AU=KOBAYASHI, HARUHIRO
E21	79	AU=KOBAYASHI, HARUHITO
E22	21	AU=KOBAYASHI, HARUJI
E23	2	AU=KOBAYASHI, HARUJIRO
E24	1	AU=KOBAYASHI, HARUKA
E25	66	AU=KOBAYASHI, HARUKI

Enter PAGE for more

?

? page

Ref	Items	Index-term
E26	7	AU=KOBAYASHI, HARUKO
E27	80	AU=KOBAYASHI, HARUMI
E28	1	AU=KOBAYASHI, HARUMICHI
E29	7	AU=KOBAYASHI, HARUNOBU
E30	369	AU=KOBAYASHI, HARUO
E31	1	AU=KOBAYASHI, HARUOMI
E32	1	AU=KOBAYASHI, HARUSHIGE
E33	31	AU=KOBAYASHI, HARUTO

deoxyguaninecpg.txt

E34	1	AU=KOBAYASHI, HARUTOKI
E35	22	AU=KOBAYASHI, HARUTOSHI
E36	1	AU=KOBAYASHI, HARUYO
E37	5	AU=KOBAYASHI, HARUYOSHI
E38	1	AU=KOBAYASHI, HARUYUKI
E39	2	AU=KOBAYASHI, HARUZI
E40	1	AU=KOBAYASHI, HARUZO
E41	1	AU=KOBAYASHI, HASAO
E42	7	AU=KOBAYASHI, HATASU
E43	1	AU=KOBAYASHI, HATATAKA
E44	4	AU=KOBAYASHI, HATSUE
E45	1	AU=KOBAYASHI, HATSUKO
E46	5	AU=KOBAYASHI, HATSUMI
E47	2	AU=KOBAYASHI, HATSUO
E48	1	AU=KOBAYASHI, HAYAHIRO
E49	1	AU=KOBAYASHI, HAYAJI
E50	700	AU=KOBAYASHI, HAYAO

Enter PAGE for more

? page

Ref	Items	Index-term
E1	700	AU=KOBAYASHI, HAYAO
E2	1	AU=KOBAYASHI, HAYAO (DEPT. OF CHEMISTRY, FACULTY
E3	6	AU=KOBAYASHI, HAYATO
E4	1	AU=KOBAYASHI, HAYO
E5	1	AU=KOBAYASHI, HAZIME
E6	1	AU=KOBAYASHI, HAZUHIRO
E7	1	AU=KOBAYASHI, HEDEAKI
E8	1	AU=KOBAYASHI, HEDEKAZU
E9	7	AU=KOBAYASHI, HEDEKI
E10	1	AU=KOBAYASHI, HEDETOSHI
E11	3	AU=KOBAYASHI, HEIGO
E12	2	AU=KOBAYASHI, HEIHACHI
E13	5	AU=KOBAYASHI, HEIHACHIRO
E14	14	AU=KOBAYASHI, HEIJI
E15	1	AU=KOBAYASHI, HEIKICHI
E16	2	AU=KOBAYASHI, HEITARO
E17	1	AU=KOBAYASHI, HERBERT K.
E18	1	AU=KOBAYASHI, HERBERT KUMEO
E19	5	AU=KOBAYASHI, HERBERT S
E20	1	AU=KOBAYASHI, HERBERT S.
E21	4	AU=KOBAYASHI, HESTER
E22	3	AU=KOBAYASHI, HESTER A
E23	5	AU=KOBAYASHI, HESTER A.
E24	2	AU=KOBAYASHI, HESTER ATSUKO
E25	1	AU=KOBAYASHI, HIASHI

Enter PAGE for more

? page

Ref	Items	Index-term
E26	1	AU=KOBAYASHI, HIDDASABURO
E27	42	AU=KOBAYASHI, HIDE
E28	327	AU=KOBAYASHI, HIDEAKI
E29	1	AU=KOBAYASHI, HIDEASKI
E30	1	AU=KOBAYASHI, HIDE
E31	17	AU=KOBAYASHI, HIDEFUMI
E32	21	AU=KOBAYASHI, HIDEHARU
E33	673	AU=KOBAYASHI, HIDEHIKO
E34	10	AU=KOBAYASHI, HIDEHIRO
E35	2	AU=KOBAYASHI, HIDEHISA
E36	3	AU=KOBAYASHI, HIDEHITO
E37	19	AU=KOBAYASHI, HIDEJI
E38	1	AU=KOBAYASHI, HIDEJIRO



deoxyguaninecpg.txt

E39	1	AU=KOBAYASHI, HIDEJYU
E40	9	AU=KOBAYASHI, HIDEKA
E41	3	AU=KOBAYASHI, HIDEKATSU
E42	297	AU=KOBAYASHI, HIDEKAZU
E43	1	AU=KOBAYASHI, HIDEKAZU.
E44	1090	AU=KOBAYASHI, HIDEKI
E45	1	AU=KOBAYASHI, HIDEKI DOW CORNING T.
E46	1	AU=KOBAYASHI, HIDEKI MAIN OFFICE F.
E47	1	AU=KOBAYASHI, HIDEKII
E48	17	AU=KOBAYASHI, HIDEKO
E49	1	AU=KOBAYASHI, HIDEKI
E50	23	AU=KOBAYASHI, HIDEKASA

Enter PAGE for more

? page

Ref	Items	Index-term
E1	23	AU=KOBAYASHI, HIDEKASA
E2	1	AU=KOBAYASHI, HIDEKI
E3	4	AU=KOBAYASHI, HIDEKINE
E4	100	AU=KOBAYASHI, HIDEKITSU
E5	1	AU=KOBAYASHI, HIDEKITSU*
E6	4	AU=KOBAYASHI, HIDEKOTO
E7	1	AU=KOBAYASHI, HIDEKARI
E8	20	AU=KOBAYASHI, HIDEKOBU
E9	118	AU=KOBAYASHI, HIDEKORI
E10	1	AU=KOBAYASHI, HIDEKORO
E11	1137	AU=KOBAYASHI, HIDEKO
E12	2	AU=KOBAYASHI, HIDEKO.
E13	11	AU=KOBAYASHI, HIDEKOMI
E14	1	AU=KOBAYASHI, HIDEKOTOSHI
E15	31	AU=KOBAYASHI, HIDEKABURO
E16	139	AU=KOBAYASHI, HIDEKSHI
E17	54	AU=KOBAYASHI, HIDEKSHI (ED)
E18	1	AU=KOBAYASHI, HIDEKUKI
E19	1	AU=KOBAYASHI, HIDEKADA
E20	1	AU=KOBAYASHI, HIDEKADA.
E21	58	AU=KOBAYASHI, HIDEKATA
E22	2	AU=KOBAYASHI, HIDEKAKE
E23	6	AU=KOBAYASHI, HIDEKTERU
E24	1	AU=KOBAYASHI, HIDEKETSU
E25	8	AU=KOBAYASHI, HIDEKTO

Enter PAGE for more

? page

Ref	Items	Index-term
E26	19	AU=KOBAYASHI, HIDEKOTOMO
E27	545	AU=KOBAYASHI, HIDEKOTOSHI
E28	14	AU=KOBAYASHI, HIDEKETSUGU
E29	4	AU=KOBAYASHI, HIDEKETSUNE
E30	1	AU=KOBAYASHI, HIDEKYA
E31	1	AU=KOBAYASHI, HIDEKYASU
E32	1	AU=KOBAYASHI, HIDEKYO
E33	2	AU=KOBAYASHI, HIDEKYOSHI
E34	1	AU=KOBAYASHI, HIDEKYUK
E35	658	AU=KOBAYASHI, HIDEKYUKI
E36	1	AU=KOBAYASHI, HIDEKYUKI.
E37	2	AU=KOBAYASHI, HIDEKYUKI*
E38	1	AU=KOBAYASHI, HIEAKI
E39	1	AU=KOBAYASHI, HIEOAKI
E40	6	AU=KOBAYASHI, HIFUMI
E41	1	AU=KOBAYASHI, HIGEO
E42	1	AU=KOBAYASHI, HIDEHIKO
E43	10	AU=KOBAYASHI, HIKARI

E44 247 AU=KOBAYASHI, HIKARU  
 E45 2 AU=KOBAYASHI, HIKOICHI  
 E46 1 AU=KOBAYASHI, HILARIO H  
 E47 2 AU=KOBAYASHI, HILARIO HARUOMI  
 E48 4 AU=KOBAYASHI, HIRAKAZU  
 E49 1 AU=KOBAYASHI, HIRAO  
 E50 1 AU=KOBAYASHI, HIRASHI  
 Enter PAGE for more

? page

Ref	Items	Index-term
E1	1	AU=KOBAYASHI, HIRASHI
E2	4	AU=KOBAYASHI, HIRO
E3	1	AU=KOBAYASHI, HIRO YUII
E4	1	AU=KOBAYASHI, HIRO-O
E5	690	AU=KOBAYASHI, HIROAKI
E6	3	AU=KOBAYASHI, HIROAKI.
E7	1	AU=KOBAYASHI, HIROAKZU
E8	4	AU=KOBAYASHI, HIROBUMI
E9	1	AU=KOBAYASHI, HIROCHI
E10	44	AU=KOBAYASHI, HIROE
E11	1	AU=KOBAYASHI, HIROE.
E12	123	AU=KOBAYASHI, HIROFUMI
E13	1	AU=KOBAYASHI, HIROHARU
E14	23	AU=KOBAYASHI, HIROHIDE
E15	38	AU=KOBAYASHI, HIROHIKO
E16	11	AU=KOBAYASHI, HIROHISA
E17	23	AU=KOBAYASHI, HIROHITO
E18	1	AU=KOBAYASHI, HIROHUMI
E19	13	AU=KOBAYASHI, HIROICHI
E20	11	AU=KOBAYASHI, HIROITSU
E21	8	AU=KOBAYASHI, HIROJI
E22	2	AU=KOBAYASHI, HIROKATA
E23	13	AU=KOBAYASHI, HIROKATSU
E24	499	AU=KOBAYASHI, HIROKAZU
E25	282	AU=KOBAYASHI, HIROKI

Enter PAGE for more

? s e25

S3 282 AU='KOBAYASHI, HIROKI'

? s s3

S4 282 S S3

? s s4 and Cpg

282 S4  
 127009 CPG  
 S5 0 S S4 AND CPG

? s s4 and CpG

282 S4  
 127009 CPG  
 S6 0 S S4 AND CPG

? s s4 and guanine

282 S4  
 389311 GUANINE  
 S7 0 S S4 AND GUANINE

? s 6-O-methyl-2'-deoxyguanine

>>>w: warning: unmatched quote found  
 S8 0 S 6-O-METHYL-2'-DEOXYGUANINE

# deoxyguaninecpg.txt

```

?
? s CpG and 6-O-methyl-2'-deoxyguanine
>>>W: warning: unmatched quote found
      127009 CPG
      0 6-O-METHYL-2'-DEOXYGUANINE
S9      0 S CPG AND 6-O-METHYL-2'-DEOXYGUANINE

?
? s 6-O-methyl-2'-deoxyguanosine
>>>W: warning: unmatched quote found
S10     0 S 6-O-METHYL-2'-DEOXYGUANOSINE

?
? s CpG and o-methyl(w)guanosine
      127009 CPG
      457 O-METHYL
      242489 GUANOSINE
      0 O-METHYL(W)GUANOSINE
S11     0 S CPG AND O-METHYL(W)GUANOSINE

? s o-methyl(w) guanosine
      457 O-METHYL
      242489 GUANOSINE
S12     0 S O-METHYL(W) GUANOSINE

? s CpG and deoxyguanosine
      127009 CPG
      61145 DEOXYGUANOSINE
S13     750 S CPG AND DEOXYGUANOSINE

? s s13 and methyl
      750 S13
      9713682 METHYL
S14     115 S S13 AND METHYL

? rd
>>>W: Duplicate detection is not supported for File 393.
Duplicate detection is not supported for File 391.
Records from unsupported files will be retained in the RD set.
S15     60 RD (UNIQUE ITEMS)

? d s
Set      Items      Description
S1        693 AU='SATO, YUKIO' FROM 5, 6, 24, 34, 40, 41, 45, 50, 65, 71, 72, 73,
76, 98, 103, 136, 143, 144, 154, 155, 156, 162, 172, 305, 369, 370, 393, 399, 434,
28, 35, 44, 91, 110, 135, 164, 185, 357, 391, 467, 8, 99, 266, 315, 358, 138, 149,
159, 444, 2, 32, 33, 302, 317, 354
S2         14 S S1 AND CPG
S3        282 AU='KOBAYASHI, HIROKI' FROM 5, 6, 24, 34, 40, 41, 45, 50, 65, 71,
72, 73, 76, 98, 103, 136, 143, 144, 154, 155, 156, 162, 172, 305, 369, 370, 393,
399, 434, 28, 35, 44, 91, 110, 135, 164, 185, 357, 391, 467, 8, 99, 266, 315, 358,
138, 149, 159, 444, 2, 32, 33, 302, 317, 354
S4        282 S S3
S5         0 S S4 AND CPG
S6         0 S S4 AND CPG
S7         0 S S4 AND GUANINE
S8         0 S 6-O-METHYL-2'-DEOXYGUANINE
S9         0 S CPG AND 6-O-METHYL-2'-DEOXYGUANINE
S10        0 S 6-O-METHYL-2'-DEOXYGUANOSINE
S11        0 S CPG AND O-METHYL(W)GUANOSINE
S12        0 S O-METHYL(W) GUANOSINE
S13       750 S CPG AND DEOXYGUANOSINE
S14       115 S S13 AND METHYL

```

deoxyguaninecpg.txt  
S15 60 RD (unique items)

? t s15/3,k/1-20

>>>W: KWIC option is not available in file(s): 399

15/3,k/1 (Item 1 from file: 5) Links

Fulltext available through: STIC Full Text Retrieval Options

Biosis Previews(R)

(c) 2009 The Thomson Corporation. All rights reserved.

19065676 Biosis No.: 200600411071

Impact of benzo[a] pyrene-2 '-deoxyguanosine lesions on methylation of DNA by SssI and HhaI DNA methyltransferases

Author: Subach Oksana M; Baskunov Vladimir B; Darii Maria V; Maltseva Diana V; Alexandrov Dmitrii A; Kirsanova Olga V; Kolbanovskiy Alexander; Kolbanovskiy Marina; Johnson Francis; Bonala Radha; Geacintov Nicholas E; Gromova Elizaveta S (Reprint)  
Author Address: Moscow MV Lomonosov State Univ, Dept Chem, Moscow 119992, Russia\*\*Russia

Author E-mail Address: gromova@genebee.msu.ru

Journal: Biochemistry 45 ( 19 ): p 6142-6159 MAY 16 2006 2006

ISSN: 0006-2960

Document Type: Article

Record Type: Abstract

Language: English

Impact of benzo[a] pyrene-2 '-deoxyguanosine lesions on methylation of DNA by SssI and HhaI DNA methyltransferases

Abstract: ...9S, 10R-epoxide (B[a]PDE), a metabolite of benzo[a] pyrene, to guanine in CpG dinucleotide sequences could affect DNA methylation and, thus, represent a potential epigenetic mechanism of chemical... ..C) under bar pG and G (C) under bar GC sequences, respectively, and transfer a methyl group to the C5 atom of cytosine (C). A series of 18-mer unmethylated or... ..trans-anti-B[a] P-N-2-dG lesion flanking a target dC in the CpG dinucleotide sequence on its 5 '- side has a greater adverse impact on methylation than the...

DESCRIPTORS:

Chemicals & Biochemicals: ...benzo{a}pyrene-2-deoxyguanosine;

15/3,k/2 (Item 2 from file: 5) Links

Fulltext available through: STIC Full Text Retrieval Options

Biosis Previews(R)

(c) 2009 The Thomson Corporation. All rights reserved.

18926860 Biosis No.: 200600272255

Stereospecific formation of interstrand carbinolamine DNA cross-links by crotonaldehyde- and acetaldehyde-derived alpha-CH3-gamma-OH-1,N-2-propano-2 '-deoxyguanosine adducts in the 5 '-CpG-3 ' sequence

Author: Cho Young-Jin; Wang Hao; Kozekov Ivan D; Kurtz Andrew J; Jacob Jaison; Voehler Markus; Smith Jarrod; Harris Thomas M; Lloyd R Stephen; Rizzo Carmelo J; Stone Michael P (Reprint)  
Author Address: Vanderbilt Univ, Vanderbilt Ingram Canc Ctr, Ctr Mol Toxicol, Dept Chem, 221 Kirkland Hall, Nashville, TN 37235 USA\*\*USA  
Author E-mail Address: michael.p.stone@vanderbilt.edu

Journal: Chemical Research in Toxicology 19 ( 2 ): p 195-208 FEB 2006 2006

ISSN: 0893-228X

Document Type: Article

Record Type: Abstract

Language: English

...links by crotonaldehyde- and acetaldehyde-derived alpha-CH3-gamma-OH-1,N-2-propano-2 '-deoxyguanosine adducts in the 5 '-CpG-3 ' sequence

deoxyguaninecpG.txt

Abstract: ...CH<sub>3</sub>-gamma-C-13-OH-PdG adducts to the corresponding N-2-(3-oxo-1-methyl-propyl)-dG aldehydes was observed at temperatures below the T<sub>m</sub> of the duplexes. These... ..differing orientations of the R- and S-CH<sub>3</sub> groups. Modeling also predicted that the alpha-methyl group of the aldehyde arising from the R-alpha-CH<sub>3</sub>-gamma-OH-PdG adduct is... ..in the 3'-direction in the minor groove, facilitating cross-linking. In contrast, the alpha-methyl group of the aldehyde arising from the S-alpha-CH<sub>3</sub>-gamma-OH-PdG adduct is...

15/3,K/3 (Item 3 from file: 5) Links

Fulltext available through: STIC Full Text Retrieval Options

Biosis Previews(R)

(c) 2009 The Thomson Corporation. All rights reserved.

18092216 Biosis No.: 200400473445

C-class CpG ODN: sequence requirements and characterization of immunostimulatory activities on mRNA level

Author: Jurk Marion (Reprint); Schulte Bettina; Kritzler Andrea; Noll Bernhard; Uhlmann Eugen; Wader Tanja; Schetter Christian; Krieg Arthur M; Vollmer Joerg  
Author Address: Coley Pharmaceut GMBH, Elisabeth Selbert Str 9, D-40764, Langenfeld, Germany\*\*Germany

Author E-mail Address: mjurk@coleypharma.com

Journal: Immunobiology 209 ( 1-2 ): p 141-154 2004 2004

Medium: print

ISSN: 0171-2985

Document Type: Article

Record Type: Abstract

Language: English

C-class CpG ODN: sequence requirements and characterization of immunostimulatory activities on mRNA level

Abstract: Synthetic oligodeoxynucleotides (ODN) containing unmethylated deoxycytosine-deoxyguanosine (CpG) motifs are very potent inducers of the innate immune system, mimicking the effects of bacterial DNA. CpG ODN are recognized by Toll-like receptor 9 (TLR9). Three classes of TLR9 agonists have been described: B-Class CpG ODN that induce strong B- and NK-cell activation and A-Class ODN that induce... ..ODN regarding optimal IFN-alpha secretion. Sequence as well as backbone modifications like 2'-O-methyl modifications especially in the 5' part of the ODN influence IFN-alpha-producing capacity. Kinetic... ..can be availed to induce potent anti-tumor or anti-viral effects. Consequently, C-Class CpG ODN represent ideal drug candidates for anti-viral and/or anti-tumor therapy. Copyright 2004...  
DESCRIPTORS:

Chemicals & Biochemicals: 2'-O-methyl; ... ..deoxycytosine-deoxyguanosine;

15/3,K/4 (Item 4 from file: 5) Links

Fulltext available through: STIC Full Text Retrieval Options

Biosis Previews(R)

(c) 2009 The Thomson Corporation. All rights reserved.

17396561 Biosis No.: 200300355280

Formation of DNA adducts and induction of lacI mutations in big blue rat-2 cells treated with temozolomide: Implications for the treatment of low-grade adult and pediatric brain tumors.

Author: Bodell William J (Reprint); Gaikwad Nilesh W; Miller Douglas; Berger Mitchell S

Author Address: University of California, Box 0555, San Francisco, CA, 94143-0555, USA\*\*USA

Author E-mail Address: bodell@itsa.ucsf.edu

Journal: Cancer Epidemiology Biomarkers and Prevention 12 ( 6 ): p 545-551 June 2003 2003

Medium: print

ISSN: 1055-9965 \_(ISSN print)  
Document Type: Article  
Record Type: Abstract  
Language: English

Abstract: ...lacI mutants from the TMZ treatment group demonstrated that they were GCfwdarwAT transitions at non-CpG sites, which is significantly different from the mutation spectrum observed in the control treatment group...

DESCRIPTORS:

Chemicals & Biochemicals: ...6-omega-methyl-2-deoxyguanosine;

15/3,K/5 (Item 5 from file: 5) Links

Fulltext available through: STIC Full Text Retrieval Options

Biosis Previews(R)

(c) 2009 The Thomson Corporation. All rights reserved.

17178319 Biosis No.: 200300137038

Repair of the mutagenic DNA oxidation product, 5-formyluracil.

Author: Liu Pingfang; Burdzy Artur; Sowers Lawrence C (Reprint)

Author Address: Department of Biochemistry and Microbiology, School of Medicine, Loma Linda University, Loma Linda, CA, 92350, USA\*\*USA

Author E-mail Address: lsowers@som.llu.edu

Journal: DNA Repair 2 ( 2 ): p 199-210 3 February, 2003 2003

Medium: print

ISSN: 1568-7864 \_(ISSN print)

Document Type: Article

Record Type: Abstract

Language: English

Abstract: The oxidation of the thymine methyl group can generate 5-formyluracil (FoU). Template FoU residues are known to miscode, generating base... ...Mug), thermophile mismatch thymine DNA glycosylase (Tdg), mouse mismatch thymine DNA glycosylase (mTDG) and human methyl-CpG-binding thymine DNA glycosylase (MBD4), whereas the FoU:A lesion is repaired only by Mug...

Registry Numbers: ...2'-deoxyguanosine 5'-monophosphate

Enzyme Commission Number:

DESCRIPTORS:

Chemicals & Biochemicals: ...methyl-CpG-binding thymine DNA glycosylase...  
...2'-deoxyguanosine 5'-monophosphate

15/3,K/6 (Item 6 from file: 5) Links

Fulltext available through: STIC Full Text Retrieval Options

Biosis Previews(R)

(c) 2009 The Thomson Corporation. All rights reserved.

13365119 Biosis No.: 199698832952

Site-specific frame-shift mutagenesis by the 1-nitropyrene-DNA adduct

N-(deoxyguanosin-8-yl)-1-aminopyrene located in the (CG)-3 sequence: Effects of SOS, proofreading, and mismatch repair

Author: Malia Sharon A; Vyas Rajeev R; Basu Ashis K (Reprint)

Author Address: Dep. Chem., Univ. Connecticut, Storrs, CT 06269, USA\*\*USA

Journal: Biochemistry 35 ( 14 ): p 4568-4577 1996 1996

ISSN: 0006-2960

Document Type: Article

Record Type: Abstract

Language: English

Abstract: ...dG-AP), both in vitro and in vivo. In Salmonella typhimurium 1-NP induces a CpG deletion in a CGCGCGCG sequence. In Escherichia coli, however, mostly -1 and +1 frame-shifts... ...GG sequences. In order to determine the mechanism of mutagenesis by dG-AP in a CpG repetitive sequence, we constructed a single-stranded

deoxyguaninecpg.txt

M13 genome containing the adduct at the underscored deoxyguanosine of an inserted CGCGCG sequence. In *E. coli* strains with normal repair capability the adduct induced approximately 2% CpG deletions, which was 20-fold that of the control. With SOS, the frequency of frame-shift mutations increased to 2.6%, even though the frequency of CpG deletion accompanied 50% reduction. The enhancement in mutagenesis was due to a +1 frame-shift that occurred at a high frequency. In strains with a defect in methyl-directed mismatch repair, 50-70% increase in mutation frequency was observed. When these strains were... cells. We conclude that dG-AP induces both -2 and +1 frame-shifts in a CpG repetitive sequence and that these two mutagenic events are competing pathways. The CpG deletion does not require SOS functions, whereas the +1 frame-shifts are SOS-dependent. On... exonuclease of the DNA polymerase. Misaligned structures that escape the exonuclease are repaired by the methyl-directed mismatch repair, albeit with limited efficiency.

15/3,K/7 (Item 7 from file: 5) Links

Fulltext available through: STIC Full Text Retrieval Options

Biosis Previews(R)

(c) 2009 The Thomson Corporation. All rights reserved.

12863157 Biosis No.: 199598330990

DNA adduct 8-hydroxyl-2'-deoxyguanosine (8-hydroxyguanine) affects function of human DNA methyltransferase

Author: Turk Patrick W; Laayoun Ali; Smith Steven S; Weitzman Sigmund A (Reprint)

Author Address: Div. Hematol./Oncol., Dep. Med. Robert Lurie Cancer Center, Northwestern Univ. Med. Sch., 303 East Chicago Ave., Chicago, IL 60611, USA\*\*USA

Journal: Carcinogenesis (Oxford) 16 ( 5 ): p 1253-1255 1995 1995

ISSN: 0143-3334

Document Type: Article

Record Type: Abstract

Language: English

DNA adduct 8-hydroxyl-2'-deoxyguanosine (8-hydroxyguanine) affects function of human DNA methyltransferase

Abstract: 8-Hydroxyl-2'-deoxyguanosine (also referred to as 8-hydroxyguanine (8-OH-dG) or 7,8-dihydro-8-oxoguanine... of nearby cytosine moieties by the human DNA methyltransferase. The exact position of 8-OH-deoxyguanosine relative to a CpG dinucleotide appears important to this effect. Our data indicate that 8-OH-deoxyguanosine diminishes the ability of the methyltransferase to methylate a target cytosine when the 8-OH-deoxyguanosine is one or two nucleotides 3' from the cytosine, on the same strand. On the other hand 8-OH-deoxyguanosine does not diminish the ability of the enzyme to respond to a methyl director (5-methylcytosine) when the 8-OH-deoxyguanosine is on the same strand but one or two nucleotides 3' from the methyl director. Differences in methylation rates as great as 13-fold have been detected using various...

15/3,K/8 (Item 8 from file: 5) Links

Fulltext available through: STIC Full Text Retrieval Options

Biosis Previews(R)

(c) 2009 The Thomson Corporation. All rights reserved.

07342747 Biosis No.: 198478078154

VISUALIZATION OF DRUG NUCLEIC-ACID INTERACTIONS AT ATOMIC RESOLUTION 10. STRUCTURE OF A N N DI METHYL PROFLAVINE DEOXYCYTIDYL-3'-5'-DEOXY GUANOSINE CRYSTALLINE COMPLEX

Author: SAKORE T D (Reprint); BHANDARY K K; SOBELL H M

Author Address: DEP RADIATION BIOL BIOPHYSICS, UNIV ROCHESTER SCH MED DENTISTRY, ROCHESTER, NY 14642, USA\*\*USA

Journal: Journal of Biomolecular Structure and Dynamics 1 ( 5 ): p 1219-1228 1984

ISSN: 0739-1102

Document Type: Article

Record Type: Abstract

Language: ENGLISH

...OF DRUG NUCLEIC-ACID INTERACTIONS AT ATOMIC RESOLUTION 10. STRUCTURE OF A N N DI  
METHYL PROFLAVINE DEOXYCYTIDYL-3'-5'-DEOXY GUANOSINE CRYSTALLINE COMPLEX

Abstract: N,N-dimethylproflavine forms a crystalline complex with deoxycytidylyl(3'-5')deoxyguanosine (d-CpG), space group P21212, with a = 21.37 .ANG., b = 34.05 .ANG. and c = 13... ..on 2032 observed reflections. The structure consists of 2 N,N-dimethylproflavine molecules, 2 d-CpG molecules and 16 H<sub>2</sub>O molecules (a total of 128 nonhydrogen atom). As with other structures of this type, N,N-dimethylproflavine molecules intercalate between base-paired d-CpG dimers. dimethylproflavine molecules stack on either side of the intercalated duplex, being related by a...

15/3,K/9 (Item 1 from file: 24) Links

Fulltext available through: STIC Full Text Retrieval Options

CSA Life Sciences Abstracts

(c) 2009 CSA. All rights reserved.

0002959772 IP Accession No: 7156863

Impact of Benzo[a]pyrene-2'-deoxyguanosine Lesions On Methylation Of DNA by SssI and HhaI DNA Methyltransferases

Subach, OM; Baskunov, VB; Darii, MV; Maltseva, DV; Alexandrov, DA; Kirsanova, OV; Kolbanovskiy, A; Kolbanovskiy, M; Johnson, F; Bonala, R; Geacintov, NE; Gromova, ES  
Chemistry Department, Moscow State University, Moscow, 119992, Russia  
Biochemistry (Washington) , v 45 , n 19 , p 6142-6159 , May 16, 2006  
Publication Date: 2006

Document Type: Journal Article

Record Type: Abstract

Language: English

Summary Language: English

ISSN: 0006-2960

File Segment: Toxicology Abstracts; Nucleic Acids Abstracts

Impact of Benzo[a]pyrene-2'-deoxyguanosine Lesions On Methylation Of DNA by SssI and HhaI DNA Methyltransferases

Abstract:

...9S,10R-epoxide (B[a]PDE), a metabolite of bezo[a] pyrene, to guanine in CpG dinucleotide sequences could affect DNA methylation and, thus, represent a potential epigenetic mechanism of chemical... ..DNA methylation by prokaryotic DNA methyltransferases M.SssI and M.HhaI. These two methyltransferases recognize CpG and GCGC sequences, respectively, and transfer a methyl group to the C5 atom of cytosine (C). A series of 18-mer unmethylated or... ..anti-B[a]P-N super(2)-dG lesion flanking a target dC in the CpG dinucleotide sequence on its 5'-side has a greater adverse impact on methylation than the...

Descriptors: Adducts; Carcinogenesis; Conformation; CpG islands; Cytosine; DNA damage; DNA methylation; DNA methyltransferase; Guanine; Metabolites; Methyltransferase; Oligonucleotides; Pyrene; epigenetics  
Identifiers:

15/3,K/10 (Item 2 from file: 24) Links

Fulltext available through: STIC Full Text Retrieval Options

CSA Life Sciences Abstracts

(c) 2009 CSA. All rights reserved.

0002847671 IP Accession No: 6800887

Stereospecific Formation of Interstrand Carbinolamine DNA Cross-Links by Crotonaldehyde- and Acetaldehyde-Derived alpha -CH sub(3)- gamma -OH-1,N



deoxyguaninecpG.txt

super(2)-Propano-2'-deoxyguanosine Adducts in the 5'-CpG-3' Sequence

Cho, Y-J; Wang, H; Kozekov, ID; Kurtz, AJ; Jacob, J; Voehler, M; Smith, J; Harris, TM; Lloyd, RS; Rizzo, CJ; Stone, MP Department of Chemistry, Center in Molecular Toxicology, Vanderbilt-Ingram Cancer Center, Vanderbilt University, Nashville, Tennessee 37235, USA

Chemical Research in Toxicology , v 19 , n 2 , p 195-208 , February 20, 2006

Publication Date: 2006

Document Type: Journal Article

Record Type: Abstract

Language: English

Summary Language: English

ISSN: 0893-228X

File Segment: Toxicology Abstracts

...and Acetaldehyde-Derived alpha -CH sub(3)- gamma -OH-1,N

super(2)-Propano-2'-deoxyguanosine Adducts in the 5'-CpG-3' Sequence

Abstract:

...When annealed into 5'-d (GCTAGCXAGTCC)-3' times 5'-d(GGACTCYCTAGC)-3' containing the 5'-CpG-3' sequence context (X = R- or S- alpha -CH sub(3)- gamma - super(13)C... ..super(13)C-OH-PdG adducts to the corresponding N super(2)-(3-oxo-1-methyl-propyl)-dG aldehydes was observed at temperatures below the T sub(m) of the duplexes... ..of the R- and S-CH sub(3) groups. Modeling also predicted that the alpha -methyl group of the aldehyde arising from the R- alpha -CH sub(3)- gamma -OH-PdG... ..in the 3'-direction in the minor groove, facilitating cross-linking. In contrast, the alpha -methyl group of the aldehyde arising from the S- alpha -CH sub(3)- gamma -OH-PdG...

15/3,K/11 (Item 3 from file: 24) Links

Fulltext available through: STIC Full Text Retrieval Options

CSA Life Sciences Abstracts

(c) 2009 CSA. All rights reserved.

0001610614 IP Accession No: 3903892

Site-specific frame-shift mutagenesis by 1-nitropyrene - DNA adduct

N-(deoxyguanosin-8-yl)-1-aminopyrene located in the (CG) sub(3) sequence: Effects of SOS, proofreading, and mismatch repair

Malia, SA; Vyas, RR; Basu, AK\* Dep. Chem., Univ. Connecticut, Storrs, CT 06269, USA Biochemistry (Washington) , v 35 , n 14 , p 4568-4577 , 1996

Addl. Source Info: Biochemistry (Washington) [BIOCHEMISTRY (WASH.)], vol. 35, no. 14, pp. 4568-4577, 1996

Publication Date: 1996

Document Type: Journal Article

Record Type: Abstract

Language: English

Summary Language: English

ISSN: 0006-2960

File Segment: Nucleic Acids Abstracts; Bacteriology Abstracts (Microbiology B)

Abstract:

...super(AP)), both in vitro and in vivo. In Salmonella typhimurium 1-NP induces a CpG deletion in a CGCGCGCG sequence. In Escherichia coli, however, mostly -1 and +1 frame-shifts... ..sequences. In order to determine the mechanism of mutagenesis by dG super(AP) in a CpG repetitive sequence, we constructed a single-stranded M13 genome containing the adduct at the underscored deoxyguanosine of an inserted CGCGCG sequence. In E. coli strains with normal repair capability the adduct induced approximately 2% CpG deletions, which was 20-fold that of the control. with SOS, the frequency of frame-shift mutations increased to 2.6%, even though the frequency of

deoxyguaninecpg.txt

CpG deletion accompanied 50% reduction. The enhancement in mutagenesis was due to a +1 frame-shift that occurred at a high frequency. In strains with a defect in methyl-directed mismatch repair, 50-70% increase in mutation frequency was observed. When these strains were... ..We conclude that dG super(AP) induces both -2 and +1 frame-shifts in a CpG repetitive sequence and that these two mutagenic events are competing pathways. The CpG deletion does not require SOS functions, whereas the +1 frame-shifts are SOS-dependent. On... ..exonuclease of the DNA polymerase. Misaligned structures that escape the exonuclease are repaired by the methyl-directed mismatch repair, albeit with limited efficiency.

15/3,K/12 (Item 1 from file: 34) Links

Fulltext available through: STIC Full Text Retrieval Options  
SciSearch(R) Cited Ref Sci

(c) 2009 The Thomson Corp. All rights reserved.

15457999 Genuine Article#: 075LS No. References: 52

Orientation of the crotonaldehyde-derived N-2-[3-oxo-1(S)-methyl -propyl]-dGDNA adduct hinders interstrand cross-link formation in the 5' - CpG-3' sequence

Author: Cho YJ; Wang H; Kozekov ID; Kozekova A; Kurtz AJ; Jacob J; Voehler M; Smith J; Harris TM; Rizzo CJ; Lloyd RS; Stone MP (REPRINT)  
Corporate Source: Vanderbilt Univ, Dept Chem, Ctr Mol Toxicol, Vanderbilt Ingram Canc Ctr, 221 Kirkland Hall/Nashville//TN/37235 (REPRINT); Vanderbilt Univ, Dept Chem, Ctr Mol Toxicol, Vanderbilt Ingram Canc Ctr, Nashville//TN/37235; Univ Texas, Med Branch, Dept Human Biol Chem & Genet, Galveston//TX/77555; Oregon Hlth Sci Univ, Ctr Res Occupat & Environm Toxicol, Portland//OR/97239 ( michael.p.stone@vanderbilt.edu )  
Journal: CHEMICAL RESEARCH IN TOXICOLOGY , 2006 , V 19 , N8 ( AUG 21 ) , P 1019-1029

ISSN: 0893-228X Publication date: 20060821

Publisher: AMER CHEMICAL SOC , 1155 16TH ST, NW, WASHINGTON, DC 20036 USA

Language: English Document Type: ARTICLE ( ABSTRACT AVAILABLE )

Orientation of the crotonaldehyde-derived N-2-[3-oxo-1(S)-methyl -propyl]-dGDNA adduct hinders interstrand cross-link formation in the 5' - CpG-3' sequence

Abstract: The conformation of the crotonaldehyde-derived N-2-[3-oxo-1(S)-methyl-propyl]-dG adduct in the oligodeoxynucleotide 5'-d(G(1)C(2)T(3)A... ..A(22)G(23)C(24))-3' , where X = N-2-[3-oxo-1(S)-methyl -propyl]-dG, is reported. This adduct arises from opening of the cyclic N-2-(S... ..2')-dG adduct when placed opposite dC in duplex DNA. This oligodeoxynucleotide contains the 5'-CpG-3' sequence in which the N-2-(R-alpha-CH3-gamma-OH-1, N-2... ..times of these protons were similar to those of the overall duplex. The crotonaldehydic-derived methyl protons showed NOEs in the 5'-direction to C-18 H1', G(19) H1', and... ..that within the minor groove, the aldehyde of the N-2-[3-oxo-1(S)- methyl-propyl]-dG adduct oriented in the 3'-direction, while the 1( S) methyl group oriented in the 5'-direction. This positioned the aldehyde distal to the G(19...  
Identifiers-- ...DNA ADDUCT; 1,N-2-PROPANODEOXYGUANOSINE ADDUCTS; DEOXYGUANOSINE ADDUCT; NMR-SPECTROSCOPY; H-1-NMR SPECTRA; SHUTTLE VECTOR; SCHIFF-BASE; HUMAN-CELLS; ACROLEIN; OLIGONUCLEOTIDES

15/3,K/13 (Item 2 from file: 34) Links

Fulltext available through: STIC Full Text Retrieval Options  
SciSearch(R) Cited Ref Sci

(c) 2009 The Thomson Corp. All rights reserved.

13649085 Genuine Article#: 900AM No. References: 68

Methylation of cytosine at C5 in a CpG sequence context causes a conformational switch of a benzo[a]pyrene diol epoxide-N-2-guanine adduct in DNA from a minor groove alignment to intercalation with base displacement

Author: Zhang N; Lin C; Huang XW; Kolbanovskiy A; Hingerty BE; Amin S; Broyde S; Geacintov NE; Patel DJ (REPRINT)  
Corporate Source: Mem Sloan Kettering Canc Ctr, Program Cellular Biochem &

deoxyguaninecpg.txt

Biophys,1275 York Ave/New York//NY/10021 (REPRINT); Mem Sloan Kettering Canc Ctr,Program Cellular Biochem & Biophys,New York//NY/10021; NYU,Dept Chem,New York//NY/10003; Oak Ridge Natl Lab,Div Life Sci,Oak Ridge//TN/37831; Penn State Coll Med,Dept Pharmacol,Hershey//PA/17033; NYU,Dept Biol,New York//NY/10003 (pateld@mskcc.org)

Journal: JOURNAL OF MOLECULAR BIOLOGY , 2005 , V 346 , N4 ( MAR 4 ) , P 951-965

ISSN: 0022-2836 Publication date: 20050304

Publisher: ACADEMIC PRESS LTD ELSEVIER SCIENCE LTD , 24-28 OVAL RD, LONDON NW1 7DX, ENGLAND

Language: English Document Type: ARTICLE ( ABSTRACT AVAILABLE )

Methylation of cytosine at C5 in a CpG sequence context causes a conformational switch of a benzo[a]pyrene diol epoxide-N-2...

Abstract: It is well known that CpG dinucleotide steps in DNA, which are highly methylated at the 5-position of cytosine (meC... ..with anti-B[a]PDE (a metabolite of the environmental carcinogen benzo[a]pyrene) at CpG mutation hot spots is enhanced by the methylation of the cytosine residue flanking the target... ..BP]G sequence contexts. This remarkable conformational switch resulting from the presence of a single methyl group at the 5-position of the cytosine residue flanking the lesion on the 5'-side, is attributed to the hydrophobic effect of the methyl group that can stabilize intercalated adduct conformations in an adduct stereochemistry-dependent manner. Such conformational differences in methylated and unmethylated CpG sequences may be significant because of potential alterations in the cellular processing of the [BP...]

Identifiers-- ...SPECTRUM; DIASTEREOMERIC BENZO<A>PYRENE 7,8-DIOL-9,10-EPOXIDES; EPOXIDE-GUANINE ADDUCTS; MODIFIED DEOXYGUANOSINE; OPTICAL ENANTIOMERS; LUNG-CANCER; HOT-SPOTS; COMPLEX-FORMATION; ESCHERICHIA-COLI

15/3,K/14 (Item 3 from file: 34) Links

Fulltext available through: STIC Full Text Retrieval Options

SciSearch(R) Cited Ref Sci

(c) 2009 The Thomson Corp. All rights reserved.

10508659 Genuine Article#: 536AR No. References: 45

Conformational changes of a benzo[a]pyrene diol epoxide-N-2-dG adduct induced by a 5'-flanking 5-methyl-substituted cytosine in a (Me)CG double-stranded oligonucleotide sequence context

Author: Huang XW; Colgate KC; Kolbanovskiy A; Amin S; Geacintov NE (REPRINT)

Corporate Source: NYU,Dept Chem,31 Washington Pl/New York//NY/10003 (REPRINT);

NYU,Dept Chem,New York//NY/10003; Amer Hlth Fdn,Valhalla//NY/10595

Journal: CHEMICAL RESEARCH IN TOXICOLOGY , 2002 , V 15 , N3 ( MAR ) , P 438-444

ISSN: 0893-228X Publication date: 20020300

Publisher: AMER CHEMICAL SOC , 1155 16TH ST, NW, WASHINGTON, DC 20036 USA

Language: English Document Type: ARTICLE ( ABSTRACT AVAILABLE )

...benzo[a]pyrene diol epoxide-N-2-dG adduct induced by a 5'-flanking 5-methyl-substituted cytosine in a (Me)CG double-stranded oligonucleotide sequence context

Abstract: ...number of mutations are found in certain codons of the p,53 gene, mostly at CpG dinucleotide sequences, which are highly methylated in human tissues. The reactivities of the mutagenic metabolite... ..g., trans-anti-BPDE-N-2-dG, or G\*), are enhanced when the cytosine in CpG sequences in DNA is methylated at its 5-position ( (Me) CpG). However, methylation may also affect the characteristics of these adducts, and we have therefore investigated whether adduct conformations are different in double-stranded DNA in methylated (Me) CpG\* and in unmethylated CpG\* sequence contexts in the oligonucleotide model system duplex 5'-d(CCAT[C-5X]G\*CTACC... ..conformational change from a minor groove structure external to the DNA duplex in the unmethylated CpG\* sequence, to an intercalative conformation in the (Me)CG\* sequence context. In contrast, the conformation ... ..groove type in both the methylated and unmethylated sequences. These results indicate that methylation of CpG sequences may affect not only chemical reactivities of chemically reactive intermediates with DNA, but also... ..formed. Thus, both

deoxyguaninecpg.txt

factors must be considered in evaluating the effects of cytosine methylation in CpG sequences on the biological consequences of the DNA adducts formed.  
Identifiers-- ...CARCINOGEN-DNA ADDUCTS; OPTICAL ENANTIOMERS; MODIFIED DEOXYGUANOSINE; COVALENT ADDUCTS; HOT-SPOTS; P53 GENE; METHYLATION; BINDING; 7,8-DIOL-9,10-EPOXIDES; DUPLEX

15/3,K/15 (Item 4 from file: 34) Links

Fulltext available through: STIC Full Text Retrieval Options  
SciSearch(R) Cited Ref Sci

(c) 2009 The Thomson Corp. All rights reserved.

04746881 Genuine Article#: UE612 No. References: 73

SITE-SPECIFIC FRAME-SHIFT MUTAGENESIS BY THE 1-NITROPYRENE-DNA ADDUCT N-(DEOXYGUANOSIN-8-Y1)-1-AMINOPYRENE LOCATED IN THE (CG)(3) SEQUENCE - EFFECTS OF SOS, PROOFREADING, AND MISMATCH REPAIR

Author: MALIA SA; VYAS RR; BASU AK

Corporate Source: UNIV CONNECTICUT,DEPT CHEM,U-60/STORRS//CT/06269; UNIV CONNECTICUT,DEPT CHEM/STORRS//CT/06269

Journal: BIOCHEMISTRY , 1996 , V 35 , N14 ( APR 9 ) , P 4568-4577

ISSN: 0006-2960

Language: ENGLISH Document Type: ARTICLE ( Abstract Available )

Abstract: ...dG(AP)), both in vitro and in vivo. In *Salmonella typhimurium* 1-NP induces a CPG deletion in a CGCGCGCG sequence. In *Escherichia coli*, however, mostly -1 and +1 frame-shifts... ..GG sequences. In order to determine the mechanism of mutagenesis by dG(AP) in a CpG repetitive sequence, we constructed a single-stranded M13 genome containing the adduct at the underscored deoxyguanosine of an inserted CGCGCG-sequence. In *E. coli* strains with normal repair capability the adduct induced approximately 2% CpG deletions, which was 20-fold that of the control. With SOS, the frequency of frame-shift mutations increased to 2.6%, even though the frequency of CpG deletion accompanied 50% reduction. The enhancement in mutagenesis was due to a +1 frame-shift that occurred at a high frequency. In strains with a defect in methyl-directed mismatch repair, 50-70% increase in mutation frequency was observed. When these strains were... ..cells. We conclude that dG(AP) induces both -2 and +1 frame-shifts in a CpG repetitive sequence and that these two mutagenic events are competing pathways. The CpG deletion does not require SOS functions, whereas the +1 frame-shifts are SOS-dependent. On... ..exonuclease of the DNA polymerase. Misaligned structures that escape the exonuclease are repaired by the methyl-directed mismatch repair, albeit with limited efficiency.

Identifiers--

15/3,K/16 (Item 5 from file: 34) Links

SciSearch(R) Cited Ref Sci

(c) 2009 The Thomson Corp. All rights reserved.

01277714 Genuine Article#: GL696 No. References: 26

THE VSR GENE-PRODUCT OF *ESCHERICHIA-COLI* K-12 IS A STRAND-SPECIFIC AND SEQUENCE-SPECIFIC DNA MISMATCH ENDONUCLEASE

Author: HENNECKE F; KOLMAR H; BRUNDL K; FRITZ HJ

Corporate Source: UNIV GOTTINGEN,INST MOLEK GENET,GRISEBACHSTR 8/D-3400 GOTTINGEN//FED REP GER/

Journal: NATURE , 1991 , V 353 , N6346 , P 776-778

Language: ENGLISH Document Type: ARTICLE ( Abstract Available )

Abstract: ...NT(A)/(T)GG next to the underlined thymidine residue, which is mismatched to 2'-deoxyguanosine. The incision is mismatch-dependent and strand-specific. These results illustrate how Vsr endonuclease initiates...

Identifiers-- ...SHORT PATCH REPAIR; *ESCHERICHIA-COLI*; POLYMERASE-I; LAMBDA; 5-METHYL-CYTOSINE; RECOMBINATION; METHYLATION; GLYCOSYLASE; REPRESSOR; MECHANISM

Research Fronts: ...ORGANIZATION; AVIAN KERATIN GENES; HIGHLY REPETITIVE SEQUENCE)

89-2588 001 (SPONTANEOUS HA-RAS GENE ACTIVATION; CPG DINUCLEOTIDES; DNA URACIL REPAIR; BASE SUBSTITUTION MUTAGENESIS; REACTIVE SITE; *DROSOPHILA* CELLS)

89-7805 001 (PROTEIN...

## Cited References:

15/3,K/17 (Item 1 from file: 71) Links  
 ELSEVIER BIOBASE  
 (c) 2009 Elsevier B.V. All rights reserved.  
 0006634000 Supplier Number: 2006135394  
 Impact of benzo[a]pyrene-2prime-deoxyguanosine lesions on methylation of DNA by SssI and HhaI DNA methyltransferases  
 Subach O.M.; Baskunov V.B.; Darii M.V.; Maltseva D.V.; Alexandrov D.A.; Kirsanova O.V.; Kolbanovskiy A.; Kolbanovskiy M.; Johnson F.; Bonala R.; Geacintov N.E.; Gromova E.S.  
 Author Email: gromova@genebee.msu.ru  
 Corresp. Author/Affil: Gromova E.S., Chemistry Department, Moscow State University, Moscow, 119992 , Russian Federation  
 Corresp. Author Email: gromova@genebee.msu.ru  
 Journal : Biochemistry (Biochemistry ) , v45, n19, (6142-6159) , 2006 , United States  
 Publication Date: May 16, 2006 (20060516 )  
 Coden: BICHA  
 ISSN: 0006-2960 eISSN: 1073-449X  
 Record Type: Abstract; New  
 Document Type: Article  
 Languages: English Summary Languages: English  
 No. of References: 85  
 Impact of benzo[a]pyrene-2prime-deoxyguanosine lesions on methylation of DNA by SssI and HhaI DNA methyltransferases

...9S,10R-epoxide (B[a]PDE), a metabolite of bezo[a]pyrene, to guanine in CpG dinucleotide sequences could affect DNA methylation and, thus, represent a potential epigenetic mechanism of chemical... ..DNA methylation by prokaryotic DNA methyltransferases M.SssI and M.HhaI. These two methyltransferases recognize CpG and GCGC sequences, respectively, and transfer a methyl group to the C5 atom of cytosine (C). A series of 18-mer unmethylated or... ..anti-B[a]P-N SUP 2 -dG lesion flanking a target dC in the CpG dinucleotide sequence on its 5prime-side has a greater adverse impact on methylation than the...

15/3,K/18 (Item 2 from file: 71) Links  
 ELSEVIER BIOBASE  
 (c) 2009 Elsevier B.V. All rights reserved.  
 0006557191 Supplier Number: 2006057158  
 Stereospecific formation of interstrand carbinolamine DNA cross-links by crotonaldehyde- and acetaldehyde-derived alpha-CH SUB 3 -gamma-OH-1, N SUP 2 -propano-2prime-deoxyguanosine adducts in the 5prime-CpG -3prime sequence  
 Cho Y.-J.; Wang H.; Kozekov I.D.; Kurtz A.J.; Jacob J.; Voehler M.; Smith J.; Harris T.M.; Lloyd R.S.; Rizzo C.J.; Stone M.P.  
 Author Email: michael.p.stone@vanderbilt.edu  
 Corresp. Author/Affil: Stone M.P., Department of Chemistry, Center in Molecular Toxicology, Vanderbilt University, Nashville, TN 37235 , United States  
 Corresp. Author Email: michael.p.stone@vanderbilt.edu  
 Journal : Chemical Research in Toxicology (Chem. Res. Toxicol. ) , v19, n2, (195-208) , 2006 , United States  
 Publication Date: February 1, 2006 (20060201 )  
 Coden: CRTOE  
 ISSN: 0893-228X eISSN: 1097-0215  
 Record Type: Abstract; New  
 Document Type: Article  
 Languages: English Summary Languages: English  
 No. of References: 60  
 ...and acetaldehyde-derived alpha-CH SUB 3 -gamma-OH-1, N SUP 2 -propano-2prime-deoxyguanosine adducts in the 5prime-CpG -3prime sequence

deoxyguaninecpG.txt

...KWKK. When annealed into 5prime-d(GCTAGCXAGTCC)-3prime.5prime-d(GGACTCYCTAGC)-3prime containing the 5prime-CpG -3prime sequence context (X = R- or S-alpha-CH SUB 3 -gamma- SUP 13 C... ..SUP 13 C-OH-PdG adducts to the corresponding N SUP 2 -(3-oxo-1- methyl-propyl)-dG aldehydes was observed at temperatures below the T SUB m of the duplexes... ..of the R- and S-CH SUB 3 groups. Modeling also predicted that the alpha- methyl group of the aldehyde arising from the R-alpha-CH SUB 3 -gamma-OH-PdG... ..in the 3prime-direction in the minor groove, facilitating cross-linking. In contrast, the alpha-methyl group of the aldehyde arising from the S-alpha-CH SUB 3 -OH-PdG adduct...

15/3,K/19 (Item 3 from file: 71) Links

ELSEVIER BIOBASE

(c) 2009 Elsevier B.V. All rights reserved.

0006110197 Supplier Number: 2005109885

Synthesis and properties of an acetaldehyde-derived oligonucleotide interstrand cross-link

Lao Y.; Hecht S.S.

Author Email: hecht002@umn.edu

Corresp. Author/Affil: Hecht S.S., Cancer Center, University of Minnesota, MMC 806, 420 Delaware St. SE, Minneapolis, MN 55455 , United States

Corresp. Author Email: hecht002@umn.edu

Journal : Chemical Research in Toxicology (Chem. Res. Toxicol. ) , v18, n4, (711-721) , 2005 , United States

Publication Date: April 1, 2005 (20050401 )

Coden: CRTOE

ISSN: 0893-228X eISSN: 1552-499X

Record Type: Abstract; New

Document Type: Article

Languages: English Summary Languages: English

No. of References: 45

...2-deoxyribos-1-yl)-5,6,7,8- tetrahydro-8-(N SUP 2 -deoxyguanosyl)-6-methyl-pyrimido[1,2-alpha]purine- 10(3H)one (7), have been previously characterized by our... ..with NaIO SUB 4 . The resulting oligonucleotide 11 containing the 1,N SUP 2 -propano-deoxyguanosine (dGuo) 5 was incubated with the complementary oligonucleotide 12 to give the desired cross-link... ..and enzymatic hydrolysis to cross-link 7. The formation of cross-link 13 at 5prime-CpG-3prime was confirmed by incubation of 11 with [ SUP 15 N SUB 5 ] 12 containing... ..Only the oligonucleotide containing 5gamma-Cp5-3gamma formed the cross-link with the complementary 5gamma-CpG-3gamma sequence. The results of this study confirm the structure of an AA-derived DNA...

15/3,K/20 (Item 4 from file: 71) Links

ELSEVIER BIOBASE

(c) 2009 Elsevier B.V. All rights reserved.

0001543484 Supplier Number: 1996069219

Site-specific frame-shift mutagenesis by the I-nitropyrene-DNA adduct N-(deoxyguanosin-8-yl)-1-aminopyrene located in the (CG) SUB 3 sequence: Effects of SOS, proofreading, and mismatch repair

Malia S.A.; Vyas R.R.; Basu A.K.

Corresp. Author/Affil: Basu A.K., Department of Chemistry, University of Connecticut, Storrs, CT 06269 , United States

Journal : Biochemistry (BIOCHEMISTRY ) , v35, n14, (4568-4577) , 1996 , United States

Publication Date: April 25, 1996 (19960425 )

Coden: BICHA

ISSN: 0006-2960 eISSN: 1471-2970

Record Type: Abstract; New

Document Type: Article

Languages: English Summary Languages: English

deoxyguaninecpg.txt

...dG(AP)), both in vitro and in vivo. In *Salmonella typhimurium* 1-NP induces a CpG deletion in a CGCGCGCG sequence. In *Escherichia coli*, however, mostly -1 and +1 frame-shifts... ..GG sequences. In order to determine the mechanism of mutagenesis by dG(AP) in a CpG repetitive sequence, we constructed a single-stranded M13 genome containing the adduct at the underscored deoxyguanosine of an inserted CGCGCG sequence. In *E. coli* strains with normal repair capability the adduct... ..the frequency of frame-shift mutations increased to 2.6%, even though the frequency of CpG deletion accompanied 50% reduction. The enhancement in mutagenesis was due to a +1 frame-shift that occurred at a high frequency. In strains with a defect in methyl-directed mismatch repair, 50-70% increase in mutation frequency was observed. when these strains were... ..cells. We conclude that dG(AP) induces both -2 and +1 frame-shifts in a CpG repetitive sequence and that these two mutagenic events are competing pathways. The CpG deletion does not require SOS functions, whereas the +1 frame-shifts are SOS-dependent. On... ..exonuclease of the DNA polymerase. Misaligned structures that escape the exonuclease are repaired by the methyl-directed mismatch repair, albeit with limited efficiency.